CURRICULUM VITAE

Wei Hsueh, M.D., Ph.D.

EDUCATION

1968: National Taiwan University, School of Medicine, M.D., (Pre-med: 1961 to 1963) 1972: Indiana University, Dept. of Anatomy and Physiology, Bloomington, IN. Ph.D.

POST-GRADUATE TRAINING

- 1968-1972: Indiana University, Department of Anatomy and Physiology Bloomington, Indiana, Research Assistant
- 1972-1973: Resident, Department of Pathology, Indiana University, School of Medicine, Indianapolis, IN
- 1974-1975: Resident and Chief Resident, Department of Pathology, Washington University, St. Louis, MO
- 1975-1976: Resident, Dept. of Pathology, Division of Surgical Pathology, Washington University, St. Louis, MO
- 1976-1978: Instructor. Dept. of Pathology, and Research Fellow, Dept. of Pharmacology, Washington University, St. Louis, MO

POSITIONS

Academic appointment:

- 11978-1983: Assistant Professor, Dept. of Pathology, Northwestern University, Chicago, IL.
- 1983 1990: Associate Professor with tenure, Department of Pathology, Northwestern University School of Medicine, Chicago, IL
- 1990 2006: Professor with Tenure, Department of Pathology, Northwestern University, Chicago, IL
- 2006: Professor Emeritus, Northwestern University, Chicago, IL.

Hospital appointment:

1978 - 2006: Staff Pathologist, Children's Memorial Hospital, Northwestern University, Chicago, IL.

LICENSURE

Illinois

MEMBERSHIP

International Academy of Pathology (US & Canadian Academy of Pathology) Chicago Pathological Society American Association of Investigative Pathologists Society for Pediatric Pathology American Association of Immunologists

BOARD CERTIFICATION

American Board of Pathology, 1977

INVITED ADDRESSES

National and International Meetings:

- Invited to participate as a member of the panel in Symposium "Immunopathology of the Lung" in FASEB Meeting, April 1979, Dallas, TX. Title of speech: Prostaglandin synthesis in pulmonary macrophages.
- Invited to Gordon Research Conference. Pulmonary Biology: Lung Injury, July 12-16, 1982. "Arachidonic acid metabolites in alveolar macrophages".
- Invited to participate as a panel member in Symposium "Pulmonary macrophages: role in host defenses and in lung injury and repair: secretory products" in FASEB, April 25, 1985. Anaheim, CA.
- Invited to International Symposium on platelet activating factor, Oct. 15-18, 1985. Palmetto Dunes Resort, Hilton Head Island, South Carolina. "Platelet activating factor induced ischemic bowel necrosis: the effect of PAF antagonists."
- Invited to FASEB minisymposium: "Inflammatory Mediators". March 21,1989. New Orleans. Title of presentation: "Role of TNF and PAF in tissue injury".
- Invited to Second International Symposium on Developmental Gastroenterology and Nutrition, Title of speech: "Neonatal Necrotizing Enterocolitis: Current Concepts and Controversies". Sept. 25-27, 1989. Wexner Institute of Pediatric Research, Children's Hospital, Columbus, Ohio.
- Invited to American Gastroenterology Association Meeting, PAF Symposium. Topic of presentation: "PAF and necrotizing enterocolitis". May 14-16, 1990. San Antonio, TX.
- Invited to Necrotizing Enterocolitis Workshop sponsored by NIH (National Institute of Child Health and Human Development), Bethesda, MD., July 19, 1990. Topic of presentation: "PAF, cytokines, and necrotizing enterocolitis".
- Organizing FASEB minisymposium "PAF" (Cochairman), April 1-5, 1990. Washington, D.C.
- Invited to FASEB 1991 Summer Research Conferences: Cytokines and Lipid Mediators as Regulators of Cell Function. August 11-16, 1991, Copper Mountain, Colorado. Title of presentation: "Interaction of tumor necrosis factor and PAF in tissue injury".
- Invited to the symposium "Necrotizing Enterocolitis: Basic Science Approaches to Gut Maturation and Pathogenesis", sponsored by National Institute of Child Health and

- Human Development, NIH, Bethesda, MD., Oct. 19-22, 1992.
- C Organizing Experimental Biology (FASEB) minisymposium "Cytokines and pulmonary inflammation" (Cochairman), March 31, 1993 (March 28-April 1), New Orleans.
- C Invited to the 5th Southeast European Symposium of Pediatric Surgery, Graz, Austria, July 8 10, 1993. Title of lecture: "PAF, TNF, hypoxia and necrotizing enterocolitis".
- C Invited to the 4th International Conference on Eicosanoids & Other Bioactive Lipids in Cancer, Inflammation & Radiation Injury, Oct. 4-7, 1995, Hong Kong. Title of lecture: "Injurious and protective mechanisms in the gut: Interaction of PAF, phospholipase A2, eicosanoids, and nitric oxide synthase".
- C Invited to Asia-Pacific International Academy of Pathology Congress, August 22-26, 2005, Beijing, China. Title of seminar: "Pathogenesis of experimental necrotizing enterocolitis".

Invited Lectures and Seminars:

- * Lecture by invitation to Indiana University, Department of Hematology and Oncology, 1979. "Prostaglandin biosynthesis in alveolar macrophages".
- * Invited to Rush-Presbyterian-St. Luke's Medical Center, Department of Medicine, September 20, 1982. "Arachidonic acid metabolites from alveolar macrophages".
- C Invited to St. Louis University, Department of Pathology, June 1983. "Arachidonic acid metabolites in macrophages."
- C Invited to Dalhousie University, Department of Pathology. "Arachidonic acid metabolism in macrophages", August 1983
- C Invited to lecture in "Prostaglandin Symposium" sponsored by National Cheng Kung University, Taiwan, Dec. 3-4, 1984
- C Invited to Sandoz Research Institutes, Sandoz, Inc. East Hanover, N. J. May 3, 1985. "Platelet activating factor induced bowel necrosis: Effects of platelet activating factor antagonists."
- C Invited to Department of Pathology, New York Medical College, Valhalla, N.Y. Oct. 9, 1985. "Secretion of prostaglandins and leukotrienes by alveolar macrophages".
- C Invited to Institute of Biomedical Sciences, Academia Sinica, Taipei, Taiwan, Republic of China. Nov. 6, 1987. "Platelet activating factor."
- C Invited to Chang Gung Medical College, Tao-Yuan, Taiwan: "PAF Mediated Tissue Injury." May 19, 1989.
- C Invited to University of Chicago, Division of Immunopathology. Title of seminar: "Role of TNF, LPS, and TNF on tissue necrosis." March 28, 1989
- C Invited to Hoffman La-Roche, NJ., June, 22, 1989. "The roles of TNF & PAF in tissue injury".
- C Invited to Merck Sharp and Dohme, NJ.: "Tumor Necrosis Factor, PAF and Ischemic Bowel Necrosis." July 11, 1989.
- C Invited to University of Illinois, College of Medicine at Chicago, Dept. of Pediatrics. Sept. 17, 1990. Title of lecture: "Lipid mediators, cytokines and necrotizing enterocolitis".
- C Invited to Abbott Labs, North Chicago, Oct. 29, 1990. Title of seminar: "PAF-induced tissue injury".
- C Invited to Dept. of Pathology, University of Michigan, Ann Arbor, MI., Oct. 23, 1990. Title of seminar: "Interaction of PAF and tumor necrosis factor in tissue injury".
- C Invited to Dept. of Pediatrics, Children's Hospital, Cincinnati, Ohio. Feb. 4, 1992. Title of presentation: "The roles of cytokines and lipid mediators in the pathogenesis of necrotizing enterocolitis."
- C Invited to Dept. of Physiology, Louisiana State University Medical Center, Shreveport, LA. July 17, 1992. "PAF and TNF in bowel injury".

- C Invited to 4th International Conference on Eicosanoids and Other Bioactive Lipids in Cancer, Inflammation and Radiation Injury. Oct. 4-7, 1995. Hong Kong. Title of presentation: "Injurious and protective mechanisms in the gut: Interaction of PAF, phospholipase A2, eicosanoids, and nitric oxide synthase".
- C Invited to Dept. of Medicine, Gastroenterology, University of Illinois, School of Medicine, Chicago, IL. Dec. 12, 1997. "Inflammatory mediators and acute intestinal iniury".
- C Invited to Yale University School of Medicine Pathology Grand Round, Dec. 3, 1998. "Pathogenetic lessons and molecular mechanisms in experimental models of necrotizing enterocolitis".
- C Invited to Charles Kuhn Research Symposium, Dec. 11, 1998, Brown University. "Pathogenesis of intestinal necrosis: balance of injurious and protective mechanisms in the gut".
- C Invited to Dept. of Cell Biology "Distinguished Lecture Series", UMDNJ (University of Medicine & Dentistry in New Jersey), Jan. 25, 1999. "Inflammatory mediators, NF-kappa B, and acute intestinal injury".
- C Invited lecture. Beijing University Medical School, Dept. of Pathology. Sept. 1, 2004.

GRANT REVIEWS AND STUDY SECTIONS

Member (or special reviewer) of NIH Study Sections

- СС Ad hoc member of study section General Medicine A2, NIH, Feb. 1988.
- Special Reviewer (telephone conference) for Oral Biology/Medicine Study Section, NIH, July, 1990.
- C Ad Hoc member of General Medicine A2 Study Section, NIH, Feb. 1992.
- Member, reverse site visit (Perinatal Emphasis Research Center), National Institute of Child Health and Human Development, NIH, Sept. 18, 1992.
- Member of General Medicine A2 Study Section, NIH, 1992-1996.
- Special Reviewer, NIH Special Emphasis Panel: RFA AI-99-011 "Innovation Research in Human Mucosal Immunity", March 20-21, 2000.

Reviewer for other foundations

- C Ad hoc reviewer for National Science Foundation, Cellular Physiology Program, May,
- Special reviewer for March of Dimes Birth Defects Foundation grants, 1990
- C Special reviewer for Chicago Lung Association grants, 1990
- Special reviewer for Scleroderma Federation grants, 1990.
- External referee for B. C. Health Research Foundation, Burnaby, British Columbia, Canada, Sept., 1991

AWARDS AND GRANT SUPPORT

As Principal Investigator:

- 1. American Lung Association Grant: Prostaglandin biosynthesis & function in alveolar macrophages. 1978-1980.
- Northwestern University Committee Award. 1979. 2.
- 3. NIH R23 AI 16147: Prostaglandin biosynthesis in lung macrophages. 1979-1982*. (* The Young Investigator Award was discontinued in Sept. 1981 due to activation of RO1 AI17419 in 1981).
- NIH RO1 AI17419: Arachidonic acid metabolism and macrophage function. 1981-1984. 4.
- CMH Research Foundation Grant: Lymphocyte factors modulate prostaglandin and 5. leukotriene biosynthesis by macrophages. 1983-1985.
- NIH RO1 AM34574: Pathogenesis of experimental bowel necrosis. 1984-1987. 6.
- NIH 2RO1 DK34574: Pathogenesis of experimental bowel necrosis. 1987-1992. 7.
- 8. NIH 2RO1 DK 34574: Pathogenesis of experimental bowel necrosis. 1992-1997.
- NIH RO1 HD 31840: Molecular mechanism of experimental intestinal injury. 1994-1999. 9
- NIH 2RO1 DK 34574: Pathogenesis of experimental bowel necrosis. 1997 2002. 10.

As Co-investigator:

1. CMH Research Foundation. Experimental necrotizing enterocolitis. 1984-86. (P.I.: F.

- G. Crussi)
- 2. VA Merit Review. Hyperoxic lung damage. 1987-90. (Role of bioactive mediators) (P.I.: Lewis Smith, Dept. of Medicine, Northwestern University Medical School)
- 3. NIH AI 11403. Asthma & allergic dis. center grant. Immunologic airway disease: Clinical and basic studies. Project #6: Bioactive mediators. (P.I. R. Patterson; Project P.I. Lewis Smith, Dept. of Medicine, Northwestern University Medical School). 1988-93.

PUBLICATIONS

(I). JOURNAL ARTICLES

- 1. **Hsueh, W**. and Rostorfer, H.H.: Chemically induced renal hypertrophy in the rat. Lab. Invest. 29:547-555, 1973.
- 2. **Hsueh, W**. and Rostorfer, H.H.: Effects of dietary sodium on renin content during renal hypertrophy in uninephrectomized rats. Proc. Soc. Exp. Biol. Med. 147:798-802, 1974.
- 3. **Hsueh, W.**, Isakson, P. and Needleman, P.: Hormone selective lipase activation in the isolated rabbit heart. Prostaglandins 13:1073-1091, 1977.
- 4. **Hsueh, W**. and Needleman, P.: Sites of lipase activation and prostaglandin synthesis in isolated perfused rabbit heart and hydronephrotic kidney. Prostaglandins 16:661-681, 1978.
- 5. **Hsueh, W**., and Kuhn, C. III: Prostaglandin secretion in rabbit alveolar macrophages and its relationship to phagocytosis. Chest 755:249-251, 1979.
- 6. **Hsueh, W.** and Needleman, P.: Cardiac and renal lipases and prostaglandin biosynthesis. Lipids 14:236-240, 1979.
- 7. Sivakoff, M., Pure, E., **Hsueh, W.** and Needleman, P. Prostaglandins and the Heart. Fed. Proc. 38:78-82, 1979.
- 8. **Hsueh, W.**, Kuhn, C. III and Needleman, P.: Relationship of prostaglandin secretions in alveolar macrophages to phagocytosis and lysosomal enzyme release. Biochem. J. 184:345-354, 1979.
- 9. **Hsueh, W.**: Prostaglandin synthesis in pulmonary macrophages. Am. J. Pathol. 97:137-148, 1979.
- 10. **Hsueh, W.**, Gonzalez-Crussi, F. and Hanneman, E.: Prostaglandin synthesis in different phases of phagocytosis in lung macrophages. Nature 283:80-82, 1980.
- 11. Gonzalez-Crussi, F., **Hsueh, W**. and Wiederhold, M.: Prostaglandin production by histiocytosis-X cells. Am. J. Clin. Pathol. 75:243-253, 1981.
- 12. Ugarte, N., Gonzalez-Crussi, F. and **Hsueh, W.**: Wilms tumor-its morphology in patients under one year of age. Cancer 48:346-353, 1981.
- 13. **Hsueh, W.**, Desai, U., Gonzalez-Crussi, F., Lamb, R. and Chu, A.: Two phospholipase pools for prostaglandin synthesis in macrophages. Nature 290:710-713, 1981.
- 14. Chappee, S.G., Esterly, N.B., Furey, N.L., Hurley, J.K. and **Hsueh, W.**: Subepidermal bullous disease and glomerulonephritis in a child. J. Am. Acad. Dermatol. 5:280-289, 1981.
- 15. Gonzalez-Crussi, F., **Hsueh, W.** and Ugarte, N.: Rhabdomyogenesis in renal neoplasia of children. Am. J. Surg. Pathol. 5:525-532, 1981.
- 16. Gonzalez-Crussi, F., Goldschmidt, R.A., **Hsueh, W.** and Trujillo, Y.P.: Infantile sarcoma with intracytoplasmic filamentous inclusions: Distinctive tumor of possible histiocytic origin. Cancer 49:2365-2375, 1982.
- 17. **Hsueh, W.**, Lamb, R. and Gonzalez-Crussi, F.: Decreased phospholipase A₂ activity and prostaglandin biosynthesis in BCG-activated alveolar macrophages. Biochim. Biophys. Acta 710:406-414, 1982.
- 18. **Hsueh, W.** and Sun, F.F.: Leukotriene B₄ biosynthesis by alveolar macrophages. Biochem. Biophys. Res. Comm. 106:1085-1091, 1982.
- 19. Cobb, M.A., **Hsueh, W.**, Pachman, L.M. and Barnes, W.T.: Prostaglandin biosynthesis

- by a human macrophage-like cell line U937. J. Reticulo-endothel. Soc. 33:197-206, 1983.
- 20. Gonzalez-Crussi, F. and **Hsueh, W.**: Experimental model of ischemic bowel necrosis: The role of platelet- activating factor and endotoxin. Am. J. Pathol. 112:127-135, 1983.
- 21. **Hsueh, W.**, Jordan, R.L., Harrison, H.H. and Cobb, M.A.: Serum and plasma stimulate prostaglandin production by alveolar macrophages. Prostaglandins 25:793-808, 1983.
- 22. **Hsueh, W.**, Arroyave, C. and Jordan, R.L.: Identification of C3b as the major serum protein that stimulate PG synthesis by macrophages. Prostaglandins 28:889-904, 1984.
- 23. **Hsueh, W.**, Jordan, R.L. and Gonzalez-Crussi, F.: Rabbit lymphocyte factor modulate prostaglandin biosynthesis in alveolar macrophages. Immunology. 54:155-161, 1985
- 24. **Hsueh W**., Sun, F.F. and Henderson, S. The biosynthesis of leukotriene B₄, the predominant lipoxygenase product in rabbit alveolar macrophages, is enhanced during immune activation. Biochem. Biophys. Acta 835:92-97, 1985
- 25. Wiederhold, M., **Hsueh, W**., and Yokoyama, M. M. Selectivity of fatty acid release from macrophages following various stimuli. Kurume Med. J. 31:5-14, 1985.
- 26. Bernstein, R.A. and **Hsueh, W**.: Ventriculocholecystic shunt. A mortality report. Surg. Neurol. 23:31-37, 1985
- 27. **Hsueh, W**., Gonzalez-Crussi, F., Arroyave, J. L., Anderson, R. C., Lee, M. L. and Houlihan, W. L.: Platelet activating factor-induced ischemic bowel necrosis: The effect of PAF antagonists. Europ. J. Pharmacol. 123:79-83, 1986.
- 28. **Hsueh, W.**, Gonzalez-Crussi, F. and Arroyave, J. L. Platelet activating factor-induced ischemic bowel necrosis: An investigation of secondary mediators in its pathogenesis. Am. J. Pathol. 122:231-239, 1986.
- 29. **Hsueh, W**., Gonzalez-Crussi, F. and Arroyave, J. L. Release of leukotriene C₄ by isolated, perfused rat small intestine in response to platelet activating factor. J. Clin. Invest. 78:108-114, 1986.
- 30. Gonzalez-Crussi, F., Mangkornkanok, M., and **Hsueh, W.**: Large cell lymphomas: diagnostic difficulties and case study. Am J. Surg. Pathol. 11:59-65, 1987.
- 31. Moel, D. I., Safirstein, R. L., McEvoy, R. C., and **Hsueh**, **W**. The Effect of aspirin on experimental diabetic nephropathy. J. Lab. Clin. Med. 110:300-307, 1987.
- 32. **Hsueh, W**., Gonzalez-Crussi, F., and Henderson, S.: LTB₄ production and lysosomal enzyme release by rat alveolar macrophages. Effects of phagocytosis, receptor binding and ionophore stimulation. Exp. Lung Res. 13:385-399, 1987.
- 33. Hsueh, C., **Hsueh, W***., and Gonzalez-Crussi, F.: An unusual case of bilateral renal dysplasia with features of nephroblastomatosis. Pediatr. Pathol. 7:437-446, 1987. (*corresponding author).
- 34. **Hsueh, W.,** Gonzalez-Crussi, F. and Arroyave, J. L.: Platelet activating factor is an endogenous mediator in endotoxin induced bowel necrosis. FASEB J. 1:403-405, 1987.
- 35. Smith, L. J., Shamsuddin, M., Anderson, J. and **Hsueh, W**.: Hyperoxic lung damage in mice: Appearance and bioconversion of peptide leukotrienes. J. Appl. Physiol. 64:944-951, 1988.
- 36. **Hsueh, W**., and Gonzalez-Crussi, F.: Ischemic bowel necrosis induced by platelet-activating factor: An experimental model. In "Methods and Achievement in Experimental Pathology", Vol. 13. pp. 208-239. Ed. by G. Jasmin (Karger, Basel). 1988.
- 37. Llauas-Magana, E., Hsueh, W.*, Arroyave, C.M., Arroyave, J.L., Torre-Amione, G. and

- Gonzalez-Crussi, F.: Cobra venom factor, an activator of complement system, enhances the bowel necrosis induced by platelet activating factor. Immunopharmacol. 15:31-38, 1988. (*corresponding author).
- 38. Gonzalez-Crussi, F., and **Hsueh, W.**: Bilateral adrenal ganglioneuroblastoma with melanosis: Clinical and pathologic observations. Cancer 61:1159-1166, 1988.
- 39. Sun, X. M., and **Hsueh, W.**,: Bowel necrosis induced by tumor necrosis factor in rats is mediated by platelet-activating factor. J. Clin. Invest. 81:1328-1331, 1988.
- 40. **Hsueh, W.,** Gonzalez-Crussi, F., and Arroyave, J.L. Sequential release of leukotrienes and norepinephrine in rat bowel following platelet activating factor: A mechanistic study of PAF-induced bowel necrosis. Gastroenterology 94:1412-1418, 1988.
- 41. Cueva, J. P. and **Hsueh, W.**. Role of oxygen derived free radicals in platelet-activating factor induced bowel necrosis. Gut 29:1207-1212, 1988.
- 42. Spaethe, S. M., **Hsueh,W.** and Needleman, P.: Pharmacological manipulation of the inflammation in rabbit hydronephrosis: Effect of ethoxyquin, a combined cyclooxygenase/lipoxygenase inhibitor; RS-5186, a thromboxane synthase inhibitor; and -659,989,a PAF antagonist. J. Pharmacol.Exp.Therap. 248:1308-1316, 1989.
- 43. Smith, L. J., Anderson, J. Shamsuddin, M., and **Hsueh, W.**: Effect of fasting on hyperoxic lung injury in mice: The role of glutathione. Am. Rev. Resp. Dis. 141:141-149, 1990.
- 44. Smith, F. L., Ritchie, E. L., Maizels, M., Zaontz, M. R., **Hsueh, W.**, Kaplan, W. E. and Firlit, C. F. Surgery for duplex kidneys with ectopic ureters: Ipsilateral ureteroureterostomy versus polar nephrectomy. J. Urol. 142:532-534, 1989.
- 45. Sun, X.-M., **Hsueh**, **W.***, and Torre-Amione, G.: Effects of in vivo priming on endotoxin-induced hypotension and tissue injury: The role of PAF and tumor necrosis factor. Am. J. Pathol. 136: 949-956, 1990 (*corresponding author).
- 46. Caplan, M. S., Sun, X-m., **Hsueh, W**.*, and Hageman, J. R.: Role of platelet activating factor and tumor necrosis factor-alpha in neonatal necrotizing enterocolitis. J. Pediatr. 116:960-964, 1990. (*corresponding author)
- 47. **Hsueh, W.**, Sun, X.-M., Rioja, L.N., and Gonzalez-Crussi, F.: The role of the complement system in tumor necrosis factor and endotoxin-induced shock and tissue injury. Immunology. 70: 309-314, 1990.
- 48. Caplan, M.S., Sun, X.-M., and **Hsueh, W.**: Hypoxia causes ischemic bowel necrosis in rats: The role of platelet-activating factor (paf-acether). Gastroenterology 99:979-986, 1990.
- 49. Caplan, M.S., **Hsueh, W.***, Kelly, A. and Donovan, M. Serum PAF acetylhydrolase increases during neonatal maturation. Prostaglandins 39:705-714, 1990. (*corresponding author).
- 50. Caplan, M.S., **Hsueh, W.**, Sun, X.M., Gidding, S.S. and Hageman, J. R. Circulating plasma platelet activating factor (PAF) in persistent pulmonary hypertension of the newborn. Am. Rev. Resp. Dis. 142:1258-1262, 1990.
- 51. Hursh, D. A., **Hsueh, W.*** and Kartha, R. K. PAF metabolism in resident and activated alveolar macrophages: Role of protein kinase C. Cell Immunol. 130: 429-436, 1990. (*corresponding author).
- 52. Caplan, M.S. and **Hsueh, W**. Necrotizing enterocolitis: Role of platelet activating factor, endotoxin, and tumor necrosis factor. J. Pediatr. 117 (suppl) S47-51, 1990.
- 53. Zhang, C. and Hsueh, W. PAF-induced bowel necrosis. Effects of vasodilators.

- Digest. Dis. Sci. 36:634-640. 1991.
- 54. Sun, X.M. and **Hsueh, W.**. PAF produces shock, in vivo complement activation and tissue injury in mice. J. Immunol. 147:509-514. 1991.
- 55. Zhang, C. **Hsueh, W.***, and Caplan, M. S. Platelet activating factor- induced intestinal necrosis in the rat: Role of endogenous platelet-activating factor and effect of saline infusion. Crit. Care Med. 19:1067-1072. 1991. (*corresponding author).
- 56. Caplan, M., Sun, X.-M. and **Hsueh, W**.: Hypoxia, PAF, and necrotizing enterocolitis. Lipids.26:1340-1343, 1991.
- 57. Musemeche, C., Caplan, M., **Hsueh, W.**, Sun, X.M., and Kelly A.: Experimental necrotizing enterocolitis. J. Pediatr. Surg. 26:1047-1049 (discussion 1049-50), 1991
- 58. Caplan, M. S., Kelly, A. and **Hsueh, W.**. Endotoxin and hypoxia-induced intestinal necrosis: The role of platelet activating factor. Pediatr. Res. 31:428-434. 1992.
- 59. **Hsueh, W.**, Caplan, M.S., Sun, X., Gonzalez-Crussi, F. Pathogenetic lessons from experimental models of necrotizing enterocolitis. Pediatr. Surg. Internat. 7:415-421, 1992.
- 60. Shamsuddin, M., **Hsueh, W.**, and Smith, L.J.: Production of leukotrienes and thromboxane by resident and activated rat alveolar macrophages: The role of protein kinase C. J. Lab. Clin. Med. 120:434-443, 1992.
- 61. Caplan, M. S., Adler, L., Kelly, A. and **Hsueh, W.** Hypoxia increases ionophore-induced PAF production and release from human umbilical vein endothelial cells. Biochim. Biophys. Acta 1128:205-210, 1992.
- 62. Tan, X.-d., **Hsueh, W.***, and Gonzalez-Crussi, F. Cellular localization of TNF-alpha transcripts in normal bowel and in necrotizing enterocolitis. TNF gene expression in Paneth cells, intestinal eosinophils and macrophages. Am. J. Pathol. 142:1858-1865, 1993. (*corresponding author).
- 63. MacKendrick, W., Caplan, M. and **Hsueh, W.** Endogenous nitric oxide protects against platelet-activating factor-induced bowel injury in the rat. Pediatr. Res. 34:222-228, 1993.
- 64. MacKendrick, W., Hill N., **Hsueh, W.**, Caplan, M. Platelet activating factor levels in enterally fed premature infants. Biol. Neonate 64:89-95, 1993
- 65. Sun, X.-M., Caplan, M.S., and **Hsueh, W.**. Tumor necrosis factor-alpha and endotoxin synergistically activate intestinal phospholipase A2 in mice. Role of endogenous PAF and effect of exogenous PAF. Gut 35:215-219, 1994.
- 66. **Hsueh, W**₂, Caplan, M.S., Sun, X., Tan, X-d., MacKendrick, W., Gonzalez-Crussi, F. PAF, TNF, hypoxia and necrotizing enterocolitis. Acta Paediatr. Suppl. 396:11-17, 1994.
- 67. Tan, X.-d., Sun, X.-M., Gonzalez-Crussi, F. X., Gonzalez-Crussi, F. **Hsueh, W.**. PAF and TNF increase the precursor of NF-kappa B p50 mRNA in mouse intestine: quantitative analysis by competitive PCR. Biochim. Biophys. Acta 1215: 157-162, 1994.
- deMello, D. E., Nogee, L. M. Heyman, S., Krous, H. F., Hussain, M. Merritt, T. A., **Hsueh, W.**, Haas, J.E., Heidelberger, K., Schumacher, R., Colten, H. R. Molecular and phenotypic variability in the congenital alveolar proteinosis syndrome associated with inherited surfactant protein B (SP-B) deficiency. J. Pediatr. 125:43-50, 1994.
- 69. Huang, L.J., Tan, X.-d, Crawford, S. E., and **Hsueh, W.**. PAF and endotoxin induce TNF gene expression in rat intestine and liver. Immunology 83:65-69, 1994.

- 70. Caplan M. S., Hedlund, E., Adler, L., and **Hsueh, W.** The role of asphyxia and feeding in a neonatal rat model of necrotizing enterocolitis. Pediatr. Pathol. 14:1017-1028, 1994
- 71. Sun, X.-M., Caplan, M. S., Liu, Y., and **Hsueh, W.**. Endotoxin resistant mice are protected from PAF-induced shock, tissue injury and death. Roles of TNF, complement activation and endogenous PAF production. Digest. Dis. Sci. 40:495-502, 1995.
- 72. Sun, X.-M., MacKendrick, W., Tien, J., Huang, W., Caplan, M.S. and **Hsueh, W.** Endogenous bacterial toxin is required for the injurious effect of PAF. Gastroenterology 109:83-88, 1995.
- 73. Sun, X.-M., Qu, X.-w. Huang, W., Granger, D. N. Bree, M. and **Hsueh, W.** The role of leukocyte beta 2-integrin in PAF-induced shock and intestinal injury. Am. J. Physiol. 270:G184-190, 1996.
- 74. Tan, X-d., Wang, H., Gonzalez-Crussi, F.X., Chang, H., Gonzalez-Crussi, F., and **Hsueh**, **W.**: PAF and endotoxin increase the enzyme activity and gene expression of type II phospholipase A₂ in the rat intestine: Role of polymorphonuclear leukocytes. J. Immunol. 156:2985-2990, 1996.
- 75. Qu, X-W., Huang, L., Burthart, T., Crawford, S.E., Caplan, M.S., and **Hsueh, W.:** Endotoxin induces PAF production in the rat ileum: Quantitation of tissue PAF by an improved method. Prostaglandins 51:249-262, 1996.
- 76. **Hsueh, W.,** Tan, X.-d., Qu, X.-w., Sun, X.-m., Gonzalez-Crussi, F. Injurious and protective mechanisms in the gut: Interaction of PAF, phospholipase A₂, eicosanoids, and nitric oxide synthase. Adv. Exp. Biol. Med. 407: 365-369, 1996.
- 77. Wang, H., Tan, X-d., Chang, H., Gonzalez-Crussi, F., Remick, D. G., and **Hsueh, W**. Regulation of platelet-activating factor receptor gene expression in vivo by endotoxin, platelet-activating factor and endogenous tumour necrosis factor. Biochem. J. 322:603-608, 1997
- 78. Caplan, M.S., Hedlund, E., Adler, L., Lickerman, M., and **Hsueh, W.** The platelet-activating factor receptor antagonist WEB 2170 prevents neonatal necrotizing enterocolitis in rats. J. Pediatr. Gastroenterology Nutr. 24:296-301, 1997.
- 79. Sun, X., Rozenfeld, R. A., Qu, X-w., Huang, W., Gonzalez-Crussi, F., and **Hsueh, W.** Pselectin deficient mice are protected from PAF-induced shock, intestine injury and lethality. Am. J. Physiol. 273: G56-61, 1997.
- 80. Wang, H., Tan, X-D. Qu, X-w. Chang, H., Remick, D. G., Gonzalez-Crussi, F., and **Hsueh, W.**: PAF upregulates plasma and tissue PAF-acetylhydrolase activity in the rat: Effect of cycloheximide. Pediatr. Res. 42:597-603, 1997.
- 81. Tan, X-D., **Hsueh, W.**, Chang, H., Wei K-R., Gonzalez-Crussi, F. Characterization of a putative receptor for intestinal trefoil factor in rat small intestine: identification by in situ binding and ligand blotting. Biochem. Biophys. Res. Commun. 237: 673-677, 1997.
- 82. **Hsueh, W.**, Caplan, M.S., Tan, X.D., MacKendrick W., Gonzalez-Crussi, F.: Necrotizing enterocolitis: Pathogenetic concepts in perspective. Pediatr. Develop. Pathol. 1: 2-16, 1998.
- 83. De Plaen, I. G., Tan, X.D., Chang, H., Qu, X-W., Liu, Q-P., and **Hsueh, W**.: Intestinal NF-6B is activated, mainly as p50 homodimers, by platelet-activating factor. Biochem. Biophys. Acta 1392: 185-192., 1998
- 84. Qu, X-W., Rozenfeld, R. A., Huang, W., Crawford, S.E., Gonzalez-Crussi, F., and **Hsueh, W.**: Interaction of PAF, spleen, and atrial natriuretic peptide in plasma volume regulation during endotoxemia in rats. J. Physiol. (London) 512:227-234, 1998

- 85. Qu, X-w., Rozenfeld, R.A., Huang, W., Sun, X-m., Tan, X-d, and **Hsueh, W.**: Roles of nitric oxide synthases in platelet-activating factor-induced intestinal necrosis in rats. Crit. Care Med. 27:356-364, 1999.
- 86. Qu, X-W., Rozenfeld, R.A., Huang, W., Bulkley, G. B., and **Hsueh, W.**: The role of xanthine oxidase in platelet-activating factor induced intestinal injury in the rat. Gut 44:203-211, 1999.
- 87. Wang, H., Tan, X.D., Chang, H., Huang, W., Gonzalez-Crussi, F., and **Hsueh, W.** Platelet-activating factor receptor mRNA is localized in eosinophils and epithelial cells in rat small intestine: regulation by dexamethasone and gut flora. Immunology 97:447-454, 1999.
- 88. Tan, X.D., Liu, Q.P., **Hsueh, W.**, Chen, Y.H., Chang, H., Gonzalez-Crussi, F. Intestinal trefoil factor binds to intestinal epithelial cells and induces nitric oxide production: priming and enhancing effects of mucin. Biochem. J. 338:745-751, 1999.
- 89. Crawford, S.E., Huang., L., **Hsueh, W.**, Takami, H., Gonzalez-Crussi, F., Backer, C.L., Mu, Y., Liu, H., Mavroudis, C. Captopril and platelet-activating factor (PAF) antagonist prevent cardiac allograft vasculopathy in rats: role of endogenous PAF and PAF-like compounds. J. Heart Lung Transplant. 18:470-7, 1999
- 90. Qu, X.W., Wang, H., Rozenfeld, R. A., Huang, W., and **Hsueh, W.** Type I nitric oxide synthase (NOS) is the predominant NOS in rat small intestine: Regulation by PAF. Biochim. Biophys. Acta 1451:211-217, 1999
- 91. Tan, X-D., Chang, H., Qu, X-W., Caplan, M., Gonzalez-Crussi, F., and **Hsueh, W.**: PAF increases mucosal permeability in rat intestine via tyrosine phosphorylation of Ecadherin. Br. J. Pharmacol. 129:1522-1529, 2000.
- 92. De Plaen, I.G., Tan, X.D., Chang H., Liu, Q., Remick, D.G., and **Hsueh, W**.: Lipopolysaccharide activates nuclear factor 6B in rat intestine: role of endogenous platelet-activating factor and tumor necrosis factor. Br. J. Pharmacol. 129: 307-314, 2000.
- 93. Lendvai, N., Qu, X.W., **Hsueh, W.**, Casadevall, A. Mechanism for the isotype dependence of antibody-mediated toxicity in *Cryptococcus neoformans* infected mice. J. Immunol. 164:4367-4374, 2000.
- 94. Qu, X.-W., Wang, H., De Plaen, I., and **Hsueh, W.** Neuronal nitric oxide synthase regulates the expression of inducible NOS in rat small intestine via modulation of nuclear factor kappa B. FASEB J. 15:439-446, 2001.
- 95. Wang, H., Qu, X., De Plaen, I.G., and **Hsueh, W.** PAF and endotoxin activate CCAAT/enhancer binding protein in rat small intestine. Br. J. Pharmacol. 133:713-721, 2001.
- 96. Rozenfeld, R., Liu, X.-L., De Plaen, I., and **Hsueh, W.** Role of gut flora on intestinal group II phospholipase A2 activity, intestinal injury and lethality in shock. Am. J. Physiol. 281(4):G957-63, 2001
- 97. De Plaen, I.G., Qu, X.-w., Wang, H., Tan, X.D., Wang, L., Han, X.B., Rozenfeld, R., and **Hsueh, W**. Endotoxin, but not platelet-activating factor, activates nuclear factor 6B and increases I6B" and I6B\$ turnover in enterocytes. Immunology, 106:577-583. 2002.
- 98. **Hsueh, W**., Caplan, M.S., Qu, X.-W., Tan, X.-D., De Plaen, I., Gonzalez-Crussi, F. Neonatal necrotizing enterocolitis: Clinical considerations and pathogenetic concepts. Pediatr Devel Pathol, 6:6-23, 2003.

- 99. Han X-B, Liu X, **Hsueh W**, De Plaen IG. Macrophage inflammatory protein-2 mediates the bowel injury mediated by platelet-activating factor. Am. J. Physiol Gastrointest Liver Physiol 287:G1220-1226, 2004.
- 100. Qu X-W, Thaete LG, Rozenfeld R, Zhu Y, De Plaen IG, Caplan MS, and **Hsueh, W**. Tetrahydrobipterin prevent platelet-activating factor-induced intestinal hypoperfusion and necrosis: Role of neuronal nitric oxide synthase. Crit Care Med, 33:1050-1056, 2005.

(II). BOOK CHAPTERS

- 1. Isakson, P.C., Raz, A., **Hsueh, W.** and Needleman, P.: Lipases and Prostaglandin biosynthesis. In: Advance in Prostaglandin and Thromboxane Research, Vol. III, Raven Press, NY, 1978, pp. 113-120, C. Galli, G. Galli, G. Porcellati (Eds.)
- 2. Needleman, P., **Hsueh, W.**, Nishikawa, K. and Morrison, A.R.: Biochemical regulation and pharmacological manipulation of renal prostaglandin synthesis. In: Prostaglandin in Cardiovascular & Renal Function. A. Scriabine, A.M. Leffer, F.A. Kuehl (Eds.), Spectrum Publishing Inc., NY, 1980, pp. 53-69.
- 3. Gonzalez-Crussi, F. and **Hsueh, W.**: Epidemiology of Wilms' tumor. In: Wilms' Tumor, Chapter 4. CRC Press, Boca Raton, FL 1983. pp. 39-49.
- 4. **Hsueh, W**. Gonzalez-Crussi, F., Arroyave, J. L., Anderson, R. C., Lee, M. L. and Houlihan, W. J.: Platelet activating factor-induced ischemic bowel necrosis: Its prevention by PAF antagonists. *In*: "New Horizons in Platelet Activating Factor Research". John Wiley & Sons Ltd. N.Y. pp 347-355 1987.
- 5. **Hsueh, W.** and Sun, X.: Tumor necrosis factor-induced bowel necrosis: The role of platelet-activating factor. In "Advances in Prostaglandin, Thromboxane and Leukotriene Research." v. 19. "Proceedings of the Taipei Conference on Prostaglandin, Thromboxane and Leukotriene Research" B. Samuelsson, P. Wong & F. F. Sun, eds. Raven Press, 1989. pp. 363-366.
- 6. **Hsueh, W.,** and Gonzalez-Crussi, F.: Platelet activating factor, endotoxin and ischemic bowel necrosis. In "Platelet-Activating Factor in Endotoxin and Immune Diseases." D.A. Handley, R.N.Saunders, W.J. Houlihan & J. C. Tomesch, eds. Marcel Dekker, Inc. N.Y., N.Y. pp. 655-683. 1990.
- 7. **Hsueh, W.**, Gonzalez-Crussi, F. Caplan, M.S. and Sun, X-M.: Tumor necrosis factoralpha, PAF and intestinal injury: Relevance to necrotizing enterocolitis. In "Cytokines in Health and Disease". S. L. Kunkel and D.G. Remick, eds. Marcel Dekker, Inc., N.Y., 1992.
- 8. **Hsueh, W.**, Tan, X-D., Sun, X-m. and Gonzalez-Crussi, F.: Interaction of inflammatory cytokines, bacterial products and lipid mediators in intestinal injury. In "Cytokines in Health and Disease". 2nd ed., D. G. Remick & J. S. Friedland, eds. Marcel Dekker Inc., N.Y., 1997. pp. 427-443.
- 9. **Hsueh, W.**, Caplan, M.S., Tan, X., MacKendrick, W., Gonzalez-Crussi, F. Necrotizing enterocolitis of the newborn: Pathogenetic concepts in perspective. In "Perspectives in Pediatric Pathology", vol. 21, pp 9-23, Springer, 1999.
- 10. **Hsueh, W**., Caplan, M.S., Qu, X.-W., Tan, X.-D., De Plaen, I., Gonzalez-Crussi, F. Neonatal necrotizing enterocolitis: Clinical considerations and pathogenetic concepts. In "Perspectives in Pediatric Pathology", 2002
- 11. **Hsueh W**, Caplan MS, Qu X-W, Tan X-D, DePlaen IG, Gonzalez-Crussi F. Necrotizing enterococolitis: Clinical considerations and pathologenetic concepts. Persp Pediatr Pathol. 25:39-56, 2004.

(III). PUBLISHED SYMPOSIA PROCEEDINGS

- 1. **Hsueh, W.** Prostaglandin synthesis in alveolar macrophages. Fourth International Prostaglandin Conference, Washington D.C., May 27-31, 1979. p.53.
- 2. **Hsueh, W.** and Sun, F.F. Alveolar macrophages produce leukotriene B₄ in response to various stimuli. V International Conference on Prostaglandins. Florence, Italy. May 18-21, 1982. p.328.
- 3. **Hsueh, W.**, Gonzalez-Crussi, F., and Lamb, R. Phytohemagglutinin- stimulated rabbit spleen lymphocytes modulate prostaglandin synthesis by macrophages. V International Conference on Prostaglandins. Florence, Italy, May 18-21, 1982. p.644.
- 4. Gonzalez-Crussi, F., **Hsueh, W.** and Mangkornkanok, M.: Am J. Surg Pathol 11:491-492, 1987. (letter to the editor).
- 5. **Hsueh, W.**, Crussi, F.G., and Arroyave, J. L. Release of norepinephrine in platelet activating factor-induced bowel necrosis. The role of sulfidopeptide leukotrienes. Second International Conference on Platelet-Activating Factor and Structurally Related Aldyl Ether Lipids. Gatlinburg, Tenn. Oct. 26-29, 1986. p. 75.
- 6. Caplan, M.S., Sun, X-M and **Hsueh, W.** Hypoxia induces PAF production which leads to necrotizing enterocolitis in the rat. Third International Conference on Platelet-Activating Factor and Structurally Related Alkyl Ether Lipids. Tokyo, Japan, May 8-12, 1989. p. 60.
- 7. **Hsueh, W.**, Sun, X., Rioja, L.N., Gonzalez-Crussi, F. Tumor necrosis factor and endotoxin-induced shock and bowel necrosis: The role of the complement system. First International Congress on Inflammation, June 17-22, 1990. Barcelona, Spain.
- 8. **Hsueh, W.,** Tan, X-d., Qu, X-w, Sun, X and Gonzalez-Crussi, F. Injurious and protective mechanisms in the gut: Interaction of PAF, phospholipase A2, eicosanoids, and nitric oxide synthase. 4th International Conference on Eicosanoids & Other Bioactive Lipids in Cancer, Inflammation & Radiation Injury. Hong Kong, 1995. Plenum Press.

(IV). ABSTRACTS

- 1. <u>Hsueh, W.</u> and Needleman, P.: Cardiac and renal lipase activation and its relationship to prostaglandin synthesis. Fed. Proc. 37:385, 1978.
- 2. <u>Hsueh, W.</u> and Needleman, P.: Cardiac and renal lipase activation and its relationship to prostaglandin synthesis. J. Am. Oil Chemist. Soc. 55:257A, 1978.
- 3. <u>Hsueh, W.</u>: Dissociation of lysosomal enzyme release and prostaglandin synthesis in alveolar macrophages in BCG infected rabbits. Fed. Proc. 39:1033, 1980.
- 4. Gonzalez-Crussi, F. and <u>Hsueh, W.</u>: Prostaglandin production by Histiocytosis-X cells. Fed Proc 39:1038, 1980.
- 5. Sotelo-Avila, C., <u>Hsueh, W.</u>, Gonzalez-Crussi, F., and Kidd, J.M.: Mesenchymal renal tumors in the first year of life. Clinico-pathologic analysis of eight cases. Am. J. Clin. Pathol. 74:498, 1980.
- 6. Gonzalez-Crussi, F. and <u>Hsueh, W.</u>: Sarcomas with intracytoplasmic filamentous inclusions: Distinctive form of infantile "Round-cell" sarcoma. Lab. Invest. 44:3P, 1981.
- 7. <u>Hsueh, W.</u>, Desai, U. and Gonzalez-Crussi, F.: Evidence for the existence of two phospholipase sites for prostaglandin synthesis in rabbit alveolar macrophages. Fed Proc 40:797, 1981.

- 8. <u>Hsueh, W.</u>: Macrophage prostaglandin synthesis in delayed hypersensitivity and its possible regulation by lymphocyte factors. Lab. Invest. 44:29A, 1981.
- 9. <u>Hsueh, W.</u>, Lamb, R. and Gonzalez-Crussi, F.: Decreased phospholipase A₂ activity and prostaglandin biosynthesis in BCG activated alveolar macrophages. Fed Proc 41:449, 1982.
- 10. Gonzalez-Crussi, F. and <u>Hsueh, W.</u>: Selectivity of phospholipase activation in rabbit alveolar macrophages following phagocytosis, membrane perturbation and increased calcium. Fed Proc 41:449, 1982.
- 11. Cobb, M.A., <u>Hsueh, W.</u> and Pachman, L.M.: Prostaglandin biosynthesis by a human macrophage-like cell line, U937. Fed Proc 41:559, 1982.
- 12. Moel, D.I., <u>Hsueh, W.</u> and Safirstein, R.L.: Different response of kidney to caval ligation as a function of age: The role of prostaglandin synthetase. Fed Proc 41:694, 1982.
- 13. Gonzalez-Crussi, F. and <u>Hsueh, W.</u>: Experimental necrotizing enterocolitis: The role of platelet activating factor (PAF) and bacterial lipopolysaccharide. Fed Proc 42:520, 1983.
- 14. Jordan, R.L., <u>Hsueh, W.</u> and Harrison, Harold H.: Serum and plasma stimulate alveolar macrophages to secrete prostaglandins. Fed Proc 42:780, 1983.
- 15. <u>Hsueh, W.</u> and Jordan, R.L.: Rabbit lymphocyte factor modulate prostaglandin synthesis by alveolar macrophages. Fed Proc 42:779, 1983.
- 16. Moel, D.I., <u>Hsueh, W.</u>, Safirstein, R.L. and Cohn, R.A. (intr. by L.M. Pachman): Age-Related response of Rat Kidney to acute vena caval ligation: The role of prostaglandin (PG) synthetase. Clinical Research 30:799A, 1982.
- 17. Moel, D., <u>Hsueh, W.</u> and Cohn, R.: Cisplatin increases renal prostaglandin synthesis. Pediatr Res 17:354A, 1983.
- 18. <u>Hsueh, W.</u>, Arroyave, C. and Jordan, R.L.: Identification of C₃b as a major serum protein that stimulates prostaglandin synthesis by rabbit alveolar macrophages. Fed Proc 43:387, 1984.
- 19. Arroyave, C.M., <u>Hsueh, W.</u> and Jordan, R.L.: Prostaglandin synthesis by rabbit alveolar macrophages mediated by the alternative complement pathway activation. Pediatr Res vol. 18, 1984.
- 20. Gonzalez-Crussi, F., and <u>Hsueh, W.</u> Platelet activating factor induced necrotizing enterocolitis: Evidence that leukotrienes are important secondary mediators. Fed. Proc. 44:1270, 1985.
- 21. <u>Hsueh, W.</u>, Sun, F.S. and Henderson, S. The biosynthesis of leukotriene B₄, the predominant lipoxygenase product in rabbit alveolar macrophages, is enhanced during immune activation. Fed. Proc. 44:1270, 1985.
- 22. Gonzalez-Crussi, F., <u>Hsueh, W.</u>, Anderson, R.C. Lee, M.L. and Houlihan, W. J.: Platelet activation factor-induced ischemic bowel necrosis (IBN). The effect of PAF antagonists. Fed Proc 45:336, 1986.
- 23. <u>Hsueh, W.</u>, Gonzalez-Crussi, F., and Arroyave, J.L.: Release of Leukotriene C₄ by isolated perfused rat small intestine in response to platelet activating factor. Fed Proc 45:686, 1986.
- 24. Shamsuddin, M., Smith, L. J., <u>Hsueh, W.</u>, and Anderson, J.: bioconversion of leukotriene D₄ in bronchioalveolar fluid from oxygen exposed mice. Clin Res 34:584A, 1986.

- 25. Smith, L. J., Shamsuddin, M., Anderson, J. and <u>Hsueh, W.</u>: Hyperoxic lung injury: a possible role for sulfidopeptide leukotrienes. Am Rev Respir Dis 133:A108, 1986.
- 26. <u>Hsueh, W.</u>, Gonzalez-Crussi, F. and Arroyave, J. L.: Platelet activating factor and leukotriene C release catecholamines from isolated, perfused rat small bowel. Fed. Proc. 46:739: 1987.
- 27. Moel, D. I., Safirstein, R. L. and <u>Hsueh, W.</u>: Aspirin prevent reduced GFR and increased glomerular basement membrane thickening in diabetic rats. Pediatr. Res. 20:454A 1986.
- 28. Moel, D. I., Safirstein, R. L. and <u>Hsueh, W.</u>: Aspirin prevent reduced GFR in diabetic rats. Kidney Intern. 29:322, 1986.
- 29. Gonzalez-Crussi, F. and <u>Hsueh, W.</u>: Leukotriene B₄ production and lysosomal enzyme release by rat alveolar macrophages. Fed Proc 46:992, 1987.
- 30. Salas-Cepeda, A., <u>Hsueh</u>, <u>W</u>. and Gonzalez-Crussi, F.: Platelet activating factor induced ischemic bowel necrosis. Effect of sympatholytic agents. Fed Proc 46:739, 1987.
- 31. Llausas-Magana, E., <u>Hsueh, W.</u>, Arroyave, C. M., Torre- Amione, G. and Gonzalez-Crussi, F.: Interaction of platelet-activating factor and complement system in the pathogenesis of ischemic bowel necrosis. Lab. Invest. 56:44A 1987.
- 32. Torre-Amione, G., Keenan, M., Rowley, D., and <u>Hsueh, W.</u>: Lipoxygenase products are required for NK cell cytotoxicity. Fed. Proc. 46:1225 1987.
- 33. Sun, X. M. and <u>Hsueh, W.</u>: Tumor necrosis factor induced bowel necrosis in rats: The role of platelet-activating factor. FASEB J. 2:A414, 1988.
- 34. Cueva, J. P., and <u>Hsueh, W.</u>: PAF-induced bowel necrosis generates oxygen radicals. FASEB J. 2:A1576, 1988.
- 35. Spaethe, S. M., Hsueh, W. and Needleman, P.: Combined inhibition of cyclooxygenase and lipoxygenase in vivo in rabbits: Effect on arachidonate metabolism in the hydronephrotic kidney. FASEB J. 2:A838, 1988.
- 36. Holtzman, R., Adler, L., Arroyave, J., Sun, X.M., Smith, L., Shamsuddin, M., Hunt, C., Hageman, J.R., and <u>Hsueh, W.</u>: No evidence for platelet-activating factor participation in hyperoxic lung injury in newborn rabbits. Pediatr. Res. 23:564A, 1988.
- 37. Caplan, M.S. and <u>Hsueh, W.</u>: Platelet activating factor metabolism is altered in experimental necrotizing enterocolitis. Clin. Res. 36:901A, 1988.
- 38. Caplan, M. S. and <u>Hsueh, W.</u>: Hypoxia increases platelet activating factor production which causes necrotizing enterocolitis in rats. Pediatr. Res. 25:285A, 1989.
- 39. Sun, X. M. and <u>Hsueh, W.</u>: The hypotensive response to bacterial endotoxin is enhanced by macrophage pre-stimulation: The role of PAF and tumor necrosis factor. FASEB J. 3:A1221, 1989.
- 40. Caplan, M., Sun, X. M. and <u>Hsueh, W.</u>: Acute hypoxia induces PAF release in the rat. FASEB J. 3:A610, 1989.
- 41. <u>Hsueh, W.</u>, Wang, Z. M. and Cueva, J.P.: Interaction of myocardial depressant factor, PAF and leukotrienes during intestinal ischemia. FASEB J. 3:A1222, 1989.
- 42. Shamsuddin, M., <u>Hsueh, W.</u>, and Smith, L. J.: Leukotriene B₄ production in resident and activated alveolar macrophages: The role of protein kinase C. FASEB J. 3:A1050, 1989.
- 43. Hovanessian, A. and <u>Hsueh, W.</u>: Fasting aggravates intestinal injury induced by bacterial endotoxin: The role of PAF. FASEB J. 3:A1225, 1989.
- 44. Caplan, M.S., Hageman, J.R. and <u>Hsueh, W.</u>: Platelet activating factor is elevated in persistent pulmonary hypertension of the newborn. Pediatr. Res. 25:305A, 1989.

- 45. Sun, X.M. and <u>Hsueh, W.</u>: Bowel necrosis induced by tumor necrosis factor in rats is mediated by platelet-activating factor. 1989 Year Book of Critical Care Medicine. J. Parrillo ed. Year Book Medical Publishers.
- 46. Caplan, M., Sun, X.M., <u>Hsueh, W.</u> and Hageman, J. The role of inflammatory mediators in neonatal necrotizing enterocolitis. FASEB J. 4:A1216, 1990
- 47. <u>Hsueh, W.</u>, Caplan, M., and Kelly, A. PAF-acetylhydrolase activity increase in human neonates during maturation. FASEB J. 4:A346, 1990.
- 48. Kelly, A., Caplan, M. and <u>Hsueh, W.</u>. The role of hypoxia and endotoxin on PAF production and intestinal perfusion in rats. FASEB J. 4:A1216, 1990
- 49. Sun, X.M. <u>Hsueh, W.</u>, Rioja, L. N., and Gonzalez-Crussi, F. The role of complement system in shock and tissue injury induced by tumor necrosis factor and endotoxin. FASEB J. 4:A357, 1990
- 50. Zhang, C. and <u>Hsueh, W.</u>. PAF-induced bowel injury: The effects of vasodilators. FASEB J. 4:A346, 1990
- 51. Hursh, D., <u>Hsueh, W.</u>, Kartha, R. and Aldrete, J.A. Platelet activating factor regulation in resident and activated rat alveolar macrophages. FASEB J. 4:A1216, 1990
- 52. <u>Hsueh, W.</u>, Sun, X.M., Rioja L.N. Tumor necrosis factor and endotoxin-induced shock and bowel necrosis in mice: Role of the complement system and PAF. FASEB J., 4:A1866, 1990
- 53. Zhang, C., <u>Hsueh</u>, W., Caplan, M.S., Kelly, A. PAF-induced shock and intestinal necrosis in the rat: Effect of saline infusion. FASEB J. 5:A894, 1991.
- 54. <u>Hsueh, W.</u>, Sun, X. M. PAF activates the complement system in vivo to produce shock and tissue injury: Role of PMN activation. FASEB J. 5:A894, 1991
- 55. Sun, X.M., <u>Hsueh, W.</u>. PAF-induced complement activation, shock and intestinal injury were protected in endotoxin (LPS)-resistant mice. FASEB J. 5:A894, 1991
- 56. Caplan, M., Adler, L. Kelly, A. <u>Hsueh, W.</u>. Hypoxia increases platelet activating factor production and endothelin-1 secretion from human umbilical vein endothelial cells. FASEB J. 5:A896, 1991.
- 57. Shamsuddin, M., McBride, A., <u>Hsueh, W.</u>, Smith, L. Inhibition of arachidonyl CoA lysophosphatide acyltransferase activity by calcium ionophore and phorbol myristate acetate in resident macrophages. Comparison with complete Freund's adjuvant-activated rat alveolar macrophages. FASEB J. 5:A518, 191
- 58. Huang, L., Tan, X., Jiang, Y., Reddy, J., and <u>Hsueh, W.</u>. PAF and endotoxin induce TNF gene expression in rat intestine and liver. FASEB J. 6:A1316, 1992.
- 59. Sun, X.M., Caplan, M. and <u>Hsueh, W.</u> Phospholipase A2 activity is increased in mouse intestine after injection of PAF or tumor necrosis factor with endotoxin. FASEB J. 6:A1316, 1992.
- 60. Caplan, M., Adler, I., Hill, N. and <u>Hsueh, W.</u> Hypoxia endothelin, acyl-PAF, and calcium ionophore in endothelial cells. FASEB J. 6:A1316, 1992.
- 61. Tan, X., <u>Hsueh, W.,</u> and Gonzalez-Crussi, F. Tumor necrosis factor-alpha gene expression in human necrotizing enterocolitis. FASEB J. 6:A1131, 1992.
- 62. Sun, X., <u>Hsueh, W.</u> LPS-resistant mice have low PAF-forming phospholipase A2 activity in the intestine. FASEB J. 7:A216, 1993
- 63. Tan, X., Sun, X., Gonzalez-Crussi, F. X., Gonzalez-Crussi, <u>Hsueh, W.</u> Increase of the precursor of NF-kappa B p50 mRNA in C3H/HeN mice intestine by platelet activating factor. FASEB J. 7:A216, 1993.

- 64. Gonzalez-Crussi, F. X., Tan, X., Sun, X. Fuentes Martinez, M., <u>Hsueh, W.</u> PAF increases group II phospholipase A2 gene expression and enzyme activity in rat intestine. FASEB J. 7:A216, 1993.
- 65. Crawford, S. E., Huang, L. J., <u>Hsueh, W.,</u> Takami, H. Backer, C. L., Mavroudis, C. Elevated plasma levels of platelet activating factor during chronic vascular rejection in rat cardiac heterotopic transplant model. FASEB J. 7:A57, 1993
- 66. Huang, L., Molteni, A., Ward, W. F., Taylor, J. M., Crawford, S. E., <u>Hsueh, W.</u> Release of platelet activating factor after irradiation. FASEB J. 7:A641, 1993.
- 67. Caplan, M., Hedlund, E., MacKendrick, W., <u>Hsueh, W.</u> The role of nitric oxide in hypoxia-induced intestinal injury in rats. FASEB J. &:A597, 1993.
- 68. Sun, X.-M. Granger, D.N. and <u>Hsueh, W.</u> Anti-CD11b/CD18 prevents PAF-induced intestinal injury in rats. FASEB J. 8:A134, 1994
- 69. Tan, X., Gonzalez-Crussi, F. and <u>Hsueh, W.</u> PAF enhances the activities of AP-1 and AP-2 in rat intestine. FASEB J. 8: A410, 1994
- 70. Qu, X, Burkhart, T., Huang, L.J., Crawford, S. E., <u>Hsueh, W.</u> Difference in PAF production in various tissues in response to endotoxin (LPS). FASEB J. 8:A663, 1994
- 71. Crawford, S.E., Huang, L.J., <u>Hsueh, W.</u>, Takami, H., Crussi, F.G, Backer, C.L., Liu, H., Mavroudis, C. PAF antagonist and captopril prevent intimal proliferation in experimental graft coronary artery disease: Role of endogenous PAF. FASEB J. 8:A402, 1994.
- 72. Rozenfeld, R.A., Tan, X.D., Qu, X.W., Chang, H. <u>Hsueh, W.</u> Effect of antioxidants on PAF-induced group II phospholipase A2 activation in the small intestine. FASEB J. 9:A125, 1995.
- 73. Sun, X.M., Tien, J. MacKendrick, W., Huang, W., Caplan, M.S., <u>Hsueh, W.</u> Endogenous bacterial toxins are required for the injurious action of PAF in rats. FASEB J. 9:A707, 1995
- 74. Tan, X.-D., Chang, H., Zelner, D., Lee, C., Crussi, F.G., <u>Hsueh, W.</u> Prevention of PAF-induced intestinal injury by tyrosine kinase inhibitors. FASEB J. 9:A707, 1995.
- 75. Qu, X.W., Tan, X.D., MacKendrick, W., Huang, W., Caplan, M.S., <u>Hsueh, W.</u> PAF-induces intestinal iNOS (inducible nitric oxide synthase) in rats. FASEB J. 9:A854, 1995
- 76. Rozenfeld, R.A., Tan, X.D., Qu, X.W., <u>Hsueh, W.</u> Allopurinol inhibits PAF (platelet activating factor)-induced activation of group II phospholipase A2 (PLA2-II) in the small intestine. Pediatr. Res. 37:4,2;53A; 1995.
- 77. Tan, X-D., Chang, H. Gonzalez-CRussi, F. <u>Hsueh, W.</u> Protein tyrosine phosphatase inhibitors induce epithelial apoptosis in rat small intestine: role of tyrosine phosphorylation of p53 protein. FASEB J. 10:A1009, 1996.
- 78. Wang, H., Tan, X-D., Chang, H. Gonzalez-Crussi, F., <u>Hsueh, W.</u> Regulation of PAF receptor gene expression in vivo. FASEB J. 10:A1291, 1996.
- 79. Qu, X-w., Crawford, S. E., Gonzalez-Crussi, F., <u>Hsueh, W.</u> Interaction of PAF, spleen and atrial natriuretic peptide in endotoxin-induced hemoconcentration in the rat. FASEB J. 10:A1291, 1996.
- 80. Chang, H., Tan, X-D., Wang, H., Gonzalez-Crussi, F. <u>Hsueh, W.</u> Role of neutrophils in endotoxin-induced enzyme activation and gene expression of type II phospholipase A2 in the rat intestine. FASEB J. 10:A1430, 1996.

- 81. Rozenfeld, R. A., Tan, X-D., Qu, X-W., Huang, W. <u>Hsueh, W.</u> The role of leukocyte adhesion in PAF-induced type II phospholipase A2 activation in the small intestine. FASEB J. 10:A1430, 1996.
- 82. Sun, X-m., Rozenfeld, R. A., Qu, X-w., Huang, W. <u>Hsueh, W.</u> Blocking selectins in ICAM-1 gene targeted mice prevents PAF-induced shock, intestinal injury and death. FASEB J. 10:A1430, 1996.
- 83. Rozenfeld, R.A., Tan, X.D., <u>Hsueh, W.</u> The Role of leukocyte endothelial interactions on PAF (platelet activating factor)-induced group II phospholipase A2 (PLA2-II) activation in the small intestine. Pediatr. Research, 39:4,2;53A, 1996.
- Tan, X-D., Chang, H., Caplan, M., MacKendrick, W. and <u>Hsueh, W.</u> PAF regulates mucosal barrier function of rat small intestine: Possible role of tyrosine phosphorylation of E-cadherin. FASEB J. 11:A120, 1997.
- 85. Qu, X.W., Rozenfeld, R.A., Huang, W., <u>Hsueh, W.</u> PAF induces xanthine dehydrogenase conversion to xanthine oxidase in rat intestine. FASEB J. 11: A331, 1997.
- 86. Wang, H., Tan, X.D., Qu, X.W., Chang, H., <u>Hsueh, W.</u> PAF upregulates plasma and tissue PAF acetyl-hydrolase activities in the rat. FASEB J. 11: A119, 1997.
- 87. Chang, H., Tan, X.D., Crussi, F. G. <u>Hsueh, W.</u> Platelet activating factor induces intestinal epithelial apoptosis: Role of polymorphonuclear leukocytes. FASEB J. 11:A 330, 1997.
- 88. Rozenfeld, R.A., Huang, W., <u>Hsueh, W.</u> The role of gut bacteria in PAF-induced type II phospholipase A2 activation in the small intestine. FASEB J. 11: A332, 1997.
- 89. De Plaen, I., Tan, X.D., Chang, H., <u>Hsueh, W.</u> PAF activates NF-kB in small intestinal epithelial cells in rats. FASEB J. 11: A120, 1997.
- 90. Amer, M., Xiao, Y., <u>Hsueh, W.</u>, Caplan, M.S. Asphyxia and formula feeding increase type II-phospholipase A2 enzyme activity and mRNA in the intestine of newborn rats. FASEB J. 11: A119, 1997.
- 91. Sun, X.M., Tan, X.D., <u>Hsueh, W.</u> PAF induces gene expression of 5-lipoxygenase-activating protein in rat intestine. FASEB J. 11: A120, 1997.
- 92. Amer, M.D., Xiao, Y., <u>Hsueh, W.</u>, Caplan, M.S. Asphyxia and formula feeding increase type II phospholipase A₂ enzyme activity and mRNA levels in the intestine of newborn rats. Pediatr. Res. 41: 135A, 1997
- 93. De Plaen, I., Tan, X., Chang, H., <u>Hsueh</u>, <u>W</u>. Effect of PAF on NF-kB activation in small intestinal epithelial cells in rats. Pediatr. Res. 41: 144A, 1997
- 94. De Plaen, I.G., Tan, X.D., Chang, H., Liu, Q and <u>Hsueh, W.</u> LPS activates NF-kB in rat small intestine. FASEB J. 12:A487, 1998.
- 95. Tan, X.D., Chang, H., Crussi, F.G. and <u>Hsueh, W.</u> Prevention of paf-induced intestinal injury and death with intestinal trefoil factor (ITF). FASEB J. 12:A186, 1998.
- 96. Qu, X.W., Wang, H., Rozenfeld, R.A., Huang, W. and <u>Hsueh, W.</u> Type I nitric oxide synthase (nNOS) is the predominant constitutive nos (cNOS) in rat small intestine: Effect of PAF. FASEB J. 12:A487, 1998.
- 97. Wang, H., Tan, X.D., Chang, H., Huang, W. and <u>Hsueh, W.</u> Platelet-activating factor receptor (PAF-R) mRNA is localized in eosinophils and epithelial cells in rat small intestine: Regulation by dexamethasone and gut flora. FASEB J. 12: A184, 1998.

- 98. Rozenfeld, R.A., Huang, W., Qu, X. and <u>Hsueh, W.</u> Interaction of nitric oxide with secretory phospholipase a₂ (sPLA₂) in LPS-induced intestinal injury. FASEB J. 12: A486, 1998.
- 99. Liu, Q-P., Tan, X.D., De Plaen, I. G., Wang, H. and <u>Hsueh, W.</u> NF-kB p65/p50 heterodimers in intestinal epithelial (IEC-6) cells are activated by stimulated polymorphonuclear leukocytes (PMN). FASEB J. 12: A486, 1998.
- 100. Chang, H., Tan, X.D., Wei, K.R., Crussi, F.G. and <u>Hsueh, W.</u> Endogenous platelet-activating factor regulates mucosal permeability in the normal rat intestine. FASEB J. 12:A377, 1998.
- 101. Wei, K.R., Tan, XD, Crussi, F. G. and <u>Hsueh, W.</u> Expression of rat intestinal trefoil factor (ITF) by the methylotropic yeast Pichia pastoris. FASEB J. 12: A193, 1998.
- 102. Rozenfeld, R.A., Huang, W., <u>Hsueh, W</u>. The role of intestinal flora in PAF-induced group II phospholipase A2 (PLA2-II) activation in the small intestine. Am. J. Respir Crit Care Med. 157:3, A550, 1998.
- 103. Rozenfeld, R.A., Qu, X., Huang, W., <u>Hsueh, W.</u> The effects of nitric oxide synthase (NOS) inhibitors and nitric oxide (NO) donors on endotoxin (LPS)-induced shock and intestinal injury. Pediatr. Res. 43:4;2, 42A, 1998.
- 104. De Plaen, I.G., Tan, X.D., Chang, H., Liu, Q., <u>Hsueh, W</u>. LPS activates NF-kB p50-p65 heterodimer in rat small intestine. Pediatr. Res. 43:4;2, 100A, 1998.
- 105. Amer, M., Xiao, Y., Wang, H., <u>Hsueh, W.</u>, Caplan, M. Asphyxia and formula feeding increase platelet activating factor receptor gene expression in the intestine of newborn rats. Pediatr. Res. 43:4;2, 97A, 1998.
- 106. Qu, X., Wang, H., Rozenfeld, R.A., Huang, W., <u>Hsueh, W.</u> Neuronal nitric oxide synthase (nNOS) down-regulates NF-kappa B activity and the expression of inducible NOS (iNOS) in rat small intestine. FASEB J. 13:A196, 1999.
- 107. Rozenfeld, R.A., Huang, W., <u>Hsueh, W.</u> Effects of antibiotics and germ-free environment on endotoxin (LPS)-induced injury and on intestinal group in phospholipase a₂ (PLA₂-II) activity. FASEB J. 13:A841, 1999.
- 108. Wang, H., Liu, Q., Qu, X., Chang H., and <u>Hsueh, W. PAF</u> (platelet-activating factor) and endotoxin (LPS) activate CCAAT/Enhancer binding protein (C/EBP) in rat small intestine. FASEB J. 13: A486, 1999
- 109. Rozenfeld, R.A., W. Huang, W. Hsueh. The role of intestinal flora in endotoxin (LPS)-induced gut injury and group II phospholipase A2 (PLA2-) activation in the small intestine. Pediatr Res, 45:4;2, 45A,1999.
- 110. De Plaen IG, Tan XD, Wang L.Y., Chang H, Liu Q, Hsueh W: NF-kB activation induced by LPS is PAF-independent in intestinal epithelial cells (IEC-6 cells). Pediatr Res. 636, 110A, 1999.
- 111. Chen, Y., Crawford, S.E., Liu, Q., <u>Hsueh, W</u>. and Tan, X. Vascular endothelial growth factor (VEGF) receptor expresses in rat intestinal epithelial cells: potential role of VEGF in gut. FASEB J. 13:A1119, 1999
- 112. Tan, X., Liu, Q., <u>Hsueh, W.</u>, Chen, Y., Chang, H., Gonzalez-Crussi, F. Intestinal trefoil factor (ITF) binds to intestinal epithelial cells and induces nitric oxide (NO) production: priming and enhancing effects of mucin. FASEB J. 13:A726, 1999
- 113. De Plaen, I.G., Tan, X.D., Wang, L.Y., Chang, H., Liu, Q., <u>Hsueh, W.</u> Endotoxin (LPS) activates NF-kappa B in intestinal epithelial (IEC-6) cells. FASEB J. 13:A840, 1999.

- 114. De Plaen IG, Wang H, Tan XD, <u>Hsueh W</u>: Lipopolysaccharide (LPS) activates NF-kB both in vivo and in vitro. Presented at the Mead Johnson Nutritionals Nutrition Symposium. Carlsbad, CA, December 2-5, 1999.
- 115. Tan XD, Chen YH, <u>Hsueh W</u>, Liu QP, Chang H, and Gozalez-Crussi, F. Nitric oxide mediates intestinal trefoil factor-induced intestinal epithelial cell migration. Gastroenterology. 116(4):A937, 1999.
- 116. Qu, X-W., Wang, H., Rozenfeld, R.A., Huang, W., <u>Hsueh, W</u>. Endotoxin suppresses neuronal nitric oxide synthase (nNOS) in rat small intestine: the role of platelet-activating factor (PAF). FASEB J. 14:A193, 2000
- 117. Wang, H., Qu, X-W., Chang, H. and <u>Hsueh, W.</u> PAF and endotoxin (LPS) regulate the gene expression of intercellular adhesion molecule (ICAM)-1 in rat small intestine. FASEB J. 14:A180, 2000.
- 118. Chang H, <u>Hsueh W</u>, Gonzalez-Crussi F, Tan XD. Prevention of Experimental Necrotizing Enterocolitis with Intestinal Trefoil Factor (ITF). Gastroenterology 118(4):A197, 2000
- 119. Rozenfeld, R.A., W. Huang, <u>Hsueh, W.</u> Effects of antibiotics and germ free environment on intestinal injury, lethality and intestinal group II phospholipase A2 (PLA2-II) in shock states. 3rd World Congress on Pediatriatric Intensive Care. Montreal, Canada, June 27, 2000.
- 120. Qu, X-w., Rozenfeld, R.A., Chen, J., <u>Hsueh, W.</u> Inhibition of neuronal nitric oxide synthase (nNOS) reduces blood flow and induces NF-kappa B activation and inducible NOS (iNOS) gene expression in rat small intestine. FASEB J. 15:A244, 2001
- 121. Wang, H., Qu, X-w., Rozenfeld, R.A. <u>Hsueh, W.</u> Pretreatment with SN50, a NF-kB blocking peptide, reduces PAF-induced intestinal injury in mice. FASEB J. 15:A935, 2001.
- 122. Rozenfeld, R.A., Liu, X., <u>Hsueh, W.</u> Effect of allopurinal on PAF (platelet activating factor)-induced group II phospholipase A2 (PLA2-II) activation and myeloperoxidase (MPO) activity in rat small intestine. FASEB J. 15:A241, 2001
- 123. De Plaen, I.G., Wang, L, <u>Hsueh, W.</u> Enterally administered endotoxin activates NF-kappaB p50-p65 in newborn rat intestine, but not in the mature intestine. FASEB J. 15: A243, 2001
- Wang, H., Qu, X-w., De Plaen, I. <u>Hsueh, W.</u> Pretreatment with NF-kB Decoy ODN Reduces PAF-Induced Bowel Necrosis in the Rat. FASEB J. 15:A241, 2001.
- 125. De Plaen I, Wang LY, <u>Hsueh W</u>. Enterally administered endotoxin activates NF-[kappa]B p50-p65 in the newborn intestine, but not in the mature intestine. SPR meeting, 2001, Baltimore
- 126. Rozenfeld RR, Liu, XL and <u>Hsueh W</u>. The effect of germ free environment on LPS induced neutrophil sequestration in rat small intestine and its relationship to group II phospholipase A2 (PLA2-II) activation. SPR meeting, 2001, Baltimore
- 127. De Plaen, I.G., Wang, L, <u>Hsueh, W.</u> Constitutive activation of NF-kappB p50-p50 appears late in gestation in the rat intestine. FASEB J. 16:A599, 2002.
- 128. Rozenfeld, R. A., Liu, X., <u>Hsueh, W.</u> The effect of ischemia/reperfusion on group II phospholipase A2 (PLA2-II) activation and myeloperoxidase (MPO) activity in rat small intestine. FASEB J. 16: A790, 2002

- 129. Qu X-w., Chen J. <u>Hsueh, W.</u> Tetrahydrobiopterin (BH4) protects rat small intestine against platelet-activating factor (PAF)-induced bowel injury. FASEB J. 16: A1206, 2002.
- 130. De Plaen IG, Wang L, May MJ, Ghosh S, Qu XW, <u>Hsueh W.</u> Selective inhibition of nuclear factor-kB blocks the bowel injury induced by platelet-activating factor. Pediatr Res 51(4): 809, 139A, 2002.
- 131. Han X-B, Wang L, <u>Hsueh W</u>, De Plaen IG. Platelet-activating factor induces MIP-2 and Gro/CINC in the rat intestine. FASEB J. 2003
- 132. De Plaen IG, Han X-B, Wang W, <u>Hsueh W</u>. Intestinal bacterial colonization is necessary for PAF to induce NF-kappaB in the rat intestine. FASEB J. 2003
- 133. Rozenfeld RA, Liu X, <u>Hsueh</u> W. The effect of germ free (GF) environment and recolonization on ischemia/reperfusion (I/R) induced intestinal injury. FASEB J. 2003
- 134. Qu X-W, Chen J, Jilling T, Caplan MS, <u>Hsueh W</u>. Exogenous intra-luminal bacteria, but not LPS, promotes platelet-activating factor (PAF)-induced intestinal tissue injury in germ-free (GF) rats. FASEB J. 2003
- 135. Fitchev P, <u>Hsueh W</u>, Melin H, DeLeon G, Chou P: Spectrum of neuroectodermal tumors of the sacroccocygeal region in young children. Lab. Invest. 83:2P, 2003
- 136. De Plaen IG, Han XB, Wang L, <u>Hsueh W</u>. Platelet-activating factor induces nuclear factor-kB (NF-kB) activation in rat intestine: Role of intestinal bacteria. Pediatr Res 53 (4): 2197, 388A, 2003.
- 137. De Plaen IG, Han XB, Wang L, <u>Hsueh W</u>. Platelet-activating factor (PAF) induces MIP-2 and Groa/CINC-1 in the rat intestine and PMN sequestration in the rat intestine. Pediatr Res 53 (4): 2199, 388A, 2003.
- 138. Qu XW, Chen J, Caplan MS and <u>Hsueh W</u>, Both inhibitor and inducer of heme oxygenase (HO) protect against platelet-activating factor (PAF)-induced increase in mucosal permeability in rat intestine. Pediatr Res 53(4): 2180, Pt 2, Suppl S, 2003
- 139. Qu X-W, Chen J, Jilling T, Caplan MS, and <u>Hsueh W</u>. Infusion of bacteria, (but not LPS), into ileal lumen of germ-free (GF) rats induces intestinal platelet-activating factor (PAF) receptor expression and enhances susceptibility to PAF-induced injury. Pediatr Res 53(4): 2179, Pt 2, Suppl S, 2003
- 140. Rozenfield Ra, Liu XL, <u>Hsueh W</u>. Germ-free environment protects ischemia/reperfusion-induced intestinal injury in the rat. Effect of recolonization. Pediatr Res 53(4): 1987, Pt 2, Suppl S, 2003
- 141. Qu X-W, Qin BM, Caplan MS, <u>Hsueh W</u>. Red Jewel Paste (RJP), a traditional Chinese herbal ointment, protects rats against experimental acute bowel injury and septic shock. FASEB J. 2004
- 142. Han X, Liu X, Wang L, <u>Hsueh W</u>, De Plaen IG. MIP-2 mediates the acute bowel injury induced by platelet-activating factor in the rat intestine. FASEB J. 2004.
- 143. De Plaen IG, Han XB, Lu J, Caplan M, <u>Hsueh W</u>. NF- B is persistently activated in a neonatal model of necrotizing enterocolitis. FASEB J. 2004
- 144. Rozenfeld RA, Liu X, Hsueh X. The Effect of PAF Antagonists and PLA2-II Inhibitors on Ischemia/Reperfusion (I/R)-Induced Gut Injury. Pediatric Research, 55:4(2),61A 2004.
- De Plaen, IG, Han X, Liu X and Hsueh W, The role of MIP2 in the acute bowel injury induced by platelet-activating factor in the rat intestine. Pediatric Res 55:4(2)464A, 2004